

# Roxil® WP Wood Preserver

## Product Description

**Roxil® Wood Preserver** is a wood preservative primer used for pre-treatment of wood in outdoor areas. It is a preventative treatment against wood rotting fungi and wood boring beetles, for use on hard and soft wood including fences, decking, sheds and garden furniture. As a primer it must be over-coated.

**Roxil® Wood Preserver** can be used as a primer before Roxil Wood® Protection Cream to give maximum protection, increasing the lifetime of fences, sheds and decking.

## Benefits

- Increases lifetime of timber
- Solvent-free primer
- Ready-to-use
- Compatible with Roxil® Wood Protection Cream

## Properties

Appearance	Pale yellow liquid
Recipe Type	Water-based
Density	1.0 g/cm <sup>3</sup>
Size(s) & Packaging	5 litre jerry cans
Coverage	1 litre covers 5 m <sup>2</sup> . A 5 litre pack covers 25 m <sup>2</sup>
Storage	Store above 5 °C in dry conditions in the original closed box. Store in a safe place, keep out of reach of children. Keep away from food, drink and animal feedstuffs
Shelf Life	24 months
Active Ingredient(s)	Permethrin (0.25% w/w), Propiconazole (0.25% w/w), IPBC (0.25% w/w)
Effective Against	Wood destroying fungi and beetles
BPR Registration No.	UK-2019-1194-5-0036
Re-entry Time	Until touch dry – at least 1 hour after treatment is completed



## Application Information

### Preparation

Any paint, varnish, dirt or other surface coating should be removed before application, sanding may be required to return the wood to a sound surface. Wood should be clean and free from dust and other contaminants, use a suitable cleaner. If using a pressure washer ensure low pressure is used and allow 24 hours or more for timbers to fully dry before further treatment. Timber to be treated should be reasonably dry before treatment although the product will penetrate into damp timbers. Do not apply if rain is forecast in the next 48 hours to allow time for **Roxil® Wood Preserver** to dry before the application of a top coat.

### Application

This product must only be used on outdoor wood which is not in direct contact with soil or surface water. Due to the biocidal components, this product is not suitable for outdoor tables which may come into contact with food. Roxil® Wood Protection Cream is instead recommended for this application. Do not apply by spray.

Apply by brush onto timber at a rate of 5 m<sup>2</sup> per litre. Apply in 2 – 3 coats depending on the porosity of the wood species.

After application tools should be cleaned immediately with warm, soapy water.

### Overcoat

**Roxil® Wood Preserver** must be overcoated when used outdoors. Roxil® Wood Protection Cream is recommended as a suitable overcoat to give water repellent properties to the wood surface.

Allow the treated wood to fully dry, typically at least 24 hours, before applying Roxil® Wood Protection Cream. Refer to Roxil® Wood Protection Cream datasheet for full application instructions.

## Other Information

**Roxil® Wood Preserver** (BPR) has been authorised for use class 2 and use class 3.

**Use class 2:** situation in which the wood or wood-based product is under cover and not exposed to the weather (particularly rain and driven rain) but where occasional, but not persistent, wetting can occur.

**Use class 3 (must be overcoated):** a situation in which the wood or wood-based product is above ground and exposed to the weather (particularly rain).

**Roxil® Wood Preserver** is touch dry in 1 hour depending on wood and ambient conditions. Unprotected persons and animals, should be kept away from until dry. Avoid prolonged contact of pets, particularly cats, to treated surfaces. Low temperatures, increased humidity and ingredients of some wood types may increase drying time. Product should be suitable for over coating 24 hours after application depending on wood and ambient conditions.

This material and its container must be disposed of in a safe way (Hazard waste key: 020108). Do not empty into drains. Do not contaminate ground, waterbodies or watercourses with chemicals or used containers.

Certified	Organism	Use	Rate
BS EN 46	House Longhorn Beetle ( <i>Hylotrupes bajulus</i> )	Preventative	100 ml/m <sup>2</sup>
BS EN 118	Termites ( <i>Reticulitermes flavipes</i> )	Preventative	200 ml/m <sup>2</sup>
BS EN 113	White & Brown Rot ( <i>Wood destroying basidiomycetes</i> )	Preventative	100 ml/m <sup>2</sup>

### *Efficacy data for Roxil® Wood Preserver*

For full health and safety information consult the safety datasheet (SDS). This product is approved under the European Biocidal Product Regulations (EU 528/2012) for use as directed. Registration No. UK-2019-1194-5-0036. Use pesticides safely. Always read the label.

---

*Information given is in good faith based on experience and usage, however all recommendations are made without warranty or guarantee, since the conditions of use are beyond our control. All goods are sold in accordance with our Conditions of Sale, copies of which are available on request. Customers are advised that products, techniques and codes of practice are under constant review and changes occur without notice; please ensure you have the latest updated information.*