Protecting Drinking Water Reservoirs














Water is the basis of all life for humans, plants and animals. It is essential for the survival of Man, and must therefore be protected from aggressive elements during treatment and storage.

Drinking water, our most precious resource

Vandex's world wide expertise guarantees good results.



VANDEX SUPER is the product to have (NSF) «HOT» 60 °C classification.

Vandex at work

Vandex products are easy to apply. The finished surface will fulfil the high standards for coating of drinking water tanks. Continuous quality control secure high and uniform quality, assuring products will perform in accordance with product literature if applied in accordance with this.

Vandex's world wide expertise is available to users, designers and applicators through our network of exclusive distributors.

Approvals for drinking water since 1965!



Vandex tested and tried coatings protect drinking water

All materials that come into direct contact with drinking water from source to consumer must meet high standards. As an internal coating of treatment and drinking water storage tanks, cementbased systems have a long track record from the hygienic, ecological and economic points of view. For many years, Vandex has been acknowledged as the leading supplier of innovative mineral products in the field of waterproofing and coating of drinking water tanks.





drinking water tanks

The correct surface structure



sprayed surface

thick spray to soffit



The coating of drinking water tanks must meet high hygienic standards, while at the same time protecting the structure of the tank. Additional requirements also have to be met, such as:

- waterproofing properties
- sealing of blow holes
- high resistance to leaching
- protection from infection
- resistant to attack from condensate • smooth, easily-cleaned surface

in the coating of drinking water tanks


In the last 60 years Vandex has acquired a considerable amount of expertise in applying mineral based coatings in water tanks, and is today one of the leading companies in this sensitive and specialised field. Vandex offers a comprehensive range of mineral and polymer-modified products as well as the relevant consultation service for designers and applicators.

Specification always begin with "Water Analysis"

Typical system for new structures

Typical system for refurbishment of existing structures

Typical system for refurbishment of existing structures - aggressive water



SERVICE – QUALITY – ENVIRONMENT

Research and Development

Vandex is also the name of an organisation which through innovation, know-how, experience and strong motivation supports its products with appropriate services in the fields of research & development, testing and engineering thus adding significant value to the basic qualities and benefits of the Vandex products.

Technical Service

Vandex gives priority to responding to customer requirements concerning products or systems and to developing products and services which provide attractive customer benefits. Vandex's technical services for users, designers and applicators assure a high degree of customer satisfaction. Training and consulting is offered locally or at the head office.

Quality and Environment

The Vandex group is certified according to the ISO 9001:2008 "Quality management systems" since 1994 and to the ISO 14001:2004 "Environmental management systems" since 2004. This verifies that the Vandex companies meet the requirements of international quality and environmental standards.

Implementing the Vandex company policy pursues:

- a consistently high product quality
- innovative products responding to actual customer needs
- a service package which includes engineering consultation and application supervision of Vandex products
- compliance with legal requirements
- protection of the environment
- safety of all employees

AnRPMCompany

Lab services

000.11

Our chemists and laboratories are also available to our customers for laboratory analyses and opinions.

Technical consulting Vandex-trained engineers

provide professional consulting services for designers and applicators.









HEADOFFICE AND INTERNATIONAL SALES: VANDEX INTERNATIONAL LTD P.O. Box, CH-4501 Solothurn/Switzerland Phone: +41 32 626 36 36, Fax +41 32 626 36 37 E-mail: info@vandex.com www.vandex.com



PRODUCTION AND SALES GERMANY/AUSTRIA: VANDEX ISOLIERMITTEL-GESELLSCHAFT m.b.H. P.O. Box, 1406, D-21487 Schwarzenbek/Germany Phone: +49 4151 89 15-0, Fax +49 4151 89 15 50 E-mail: info@vandex.de www.vandex.de

VANDEX PROTECTS DRINKING WATER

APPROVED AND TESTED PRODUCTS: DRINKING WATER RESERVOIRS



Drinking water, our most precious resource

Vandex approved products: drinking water reservoirs

Vandex BB 75 International Int						
Product name/ type of product	13 16 / SUI CIMILAST		DWI /	Approval	s and test	S Others available
VANDEX	refer also to Technical Data Sheets	consumption	WRAS	KTW		available
Substrate hardening		consumption				
MINERALIT	substrate hardening agent	250 ml/m ²	\checkmark	\checkmark		
Repair and levelling mortar			•	•		
PLUG	cementitious waterproof plugging compound	approx. 200 g/100 cm ³	\checkmark			\checkmark
CORROSION PROTECTION M	corrosion protection for reinforcement steel	2-4 kg/m ²	-	\checkmark		
UNI MORTAR 1	waterproofing and repairing mortar	12-24 kg/m ²	\checkmark	\checkmark		
CEMLINE MORTAR	repair mortar and inner coating for drinking water	12-24 kg/m ²	-	\checkmark		
CEMLINE MG 4	fibre reinforced spray and repair mortar, 5–50 mm per layer	2 kg/m ² per 1 mm layer		\checkmark		
CEMLINE MG 4 FF	high density reprofiling mortar, 10–30 mm per layer	2 kg/m² per 1 mm layer		\checkmark		
RAPID M	rapid waterproofing repair mortar, 1 hour	12-24 kg/m ²		\checkmark		
UNI MORTAR 1 Z	waterproofing and repairing mortar, increased resistance	12-24 kg/m ²		\checkmark	\checkmark	
Sanitary coating						
SUPER	slurry in-depth waterproofing and protection, grey	1-1.5 kg/m ²	\checkmark		\checkmark	\checkmark
SUPER WHITE	slurry in-depth waterproofing and protection, white	1-1.5 kg/m ²			\checkmark	\checkmark
BB 75	waterproofing slurry, grey	3-6 kg/m²	\checkmark	\checkmark	\checkmark	\checkmark
CEMLINE TOP GREY/WHITE	final protective slurry for drinking water, grey/white	6-8 kg/m²		\checkmark		\checkmark
CEMELAST	elasticized inner coating for drinking water, grey	4-6 kg/m²		\checkmark		\checkmark
BB 75 Z	waterproofing slurry, grey, increased resistance	3-6 kg/m²		\checkmark		\checkmark
BB WHITE	waterproofing slurry, white	6 kg/m²		\checkmark		\checkmark
Surface hardening						
MINERALIT	surface hardening agent	250 ml/m ²	\checkmark	\checkmark		
Speciality products						
CONCRETE GREY	slurry in-depth waterproofing and protection, light grey	1-1.5 kg/m ²	\checkmark			
CONSTRUCTION JOINT TAPE	waterproofing tape for construction joints and cracks	1.0 m tape 1.0 kg/m CEMELAST				\checkmark
FLEXTAPE	high performance sealing tape for cracks and expansion joints	1.0 m tape		\checkmark		
FLEXSEAL	multi-purpose sealant and adhesive, also used with tapes	300 ml per metre of FLEXTAPE		KTW		
BB 75 E Z	elasticized waterproofing slurry with crack bridging capacities	4-5 kg/m ²				\checkmark
CEMELAST WHITE/BLUE	elasticized inner coating for drinking water, white/blue	4-6 kg/m²		\checkmark		

Note

SUPER WHITE, BB 75, UNI MORTAR 1 Z when produced at Euclid Cleveland Plant W270, W347 and some W300 NSF

DVGW

The information contained herein is based on our longterm experience and the best of our knowledge. We can, however, make no guarantee since for a successful outcome, all circumstances in an individual case must be taken into consideration. Indications of quantities required are only averages which in certain cases might be greater.



AnRPMCompany

HEAD OFFICE AND INTERNATIONAL SALES: Vandex International Ltd P.O. Box · CH-4501 Solothurn/Switzerland +41 32 626 36 36 · info@vandex.com · www.vandex.com

PRODUCTION: Vandex Isoliermittel-Gesellschaft m.b.H. P.O. Box · D-21487 Schwarzenbek/Germany



